

Issue Date: 7 July 7, 2014

v1

MATERIAL SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: GLOBAL TATTOO SPRAY
Other Name: Tattoo Spray, Tattoo Blister Pack

Supplier Name: Milhaus Australia Pty Ltd Address: 48-52 Sydenham Road

Marrickville NSW 2204

Post Address: As above

Telephone: [61(0)2] 9565 2222 Fax: [61(0)2] 9565 2200 Emergency: [61(0)2] 9565 2222

SECTION 2. HAZARDS IDENTIFICATION

UN No: None Allocated

Dangerous Goods Class: 3 Subsidiary Risk Class: 3 Packing Group: 2

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENT

<u>INCI/ CTFANAME</u>	CAS#	
Aqua (Water)	7732-18-5	
Alcohol	64-17-5	
Caster Oil	8001-79-4	
Ethyl Cellulose	9004-57-3	
Dimethyl Ether	115-10-6	
Shellac	9004-14-0	
Black 3	1333-86-4	

SECTION 4. FIRST AID MEASURES

Ingestion: Immediately rinse the mouth. Do not induce vomiting.

Seek medical advice if symptoms persist.

Eye Contact: Wash with copious quantities of water for at least 15

Minutes. Seek medical advice if symptoms persist.

Skin Contact: Short term exposure- not a skin irritant. Wash the

contaminated area with soap and water if irritation

occurs.

Inhaled: If affected move to a well ventilated area.

SECTION 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use Extinguisher in accordance with primary source of fire. Use carbon dioxide, dry chemical or water spray.

Fire / Explosion Hazard

Extremely flammable.

Small fire: Use water spray, dry chemical or carbon dioxide.

Large fire: Use water spray or fog

SECTION 6. ACCIDENTAL RELEASE MEASURES

Environmental Precautions

Do not allow entry to drains, or water courses.

Methods for cleaning up

Use absorbent material such as sand or vermiculite. Collect material in a suitable container and dispose of in an accredited waste disposal area in accordance with relevant State Federal regulation.

SECTION 7. HANDLING AND STORAGE

Shipping Name: Aerosols
UN No: 1950
Dangerous goods Class: 3
Subsidiary Risk Class: 3
Hazchem Code: 3WE

Packaging Group:

EPG:

None Allocated

None Allocated

None Allocated

Note:

Store in a cool, dry area. Store out of direct sunlight. Keep containers sealed tight when not in use.

Keep out of reach of children.

Store in a well ventilated, dry area. Pressurised dispenser. Protect from sunlight and do not expose to temperatures exceeding 50 C. Do not pierce or burn this can, even when empty. Store away from corrosive products

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

Use in a well ventilated area and always keep containers closed when not in use.

Exposure Standards

No value assigned for this specific material by the National Health and Safety Commission (Worksafe Australia).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid 78°C **Boiling Point:** Melting Point: -117 44mmHg Vapour Pressure: Specific Gravity: 8.0 Flash Point: 15.5 Solubility in Water: Miscible PH: 7.00 - 8.00

SECTION 10. STABILITY AND REACTIVITY

Flammability: Flammable

Hazardous reactions: DANGEROUS GOODS, HAZARDOUS SUBSTANCE

Hazardous decomposition products

When handled and stored appropriately no dangerous decomposition products are known

SECTION 11. TOXICOLOGICAL INFORMATION

Ingestion Do not induce vomiting; consult physician immediately.

Eye Contact: Flush with water.

Skin Contact: Short term exposure- not a skin irritant. Wash the

contaminated area with soap and water if irritation occurs.

Inhaled: Remove to fresh air, consult a physician.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Fate (Exposure)

Do not release this product or chemically contaminated water containing this product into drains, soils or surface water. Make sure that water used in extinguishing any fires involving this product is disposed according to local regulations.

SECTION 13. DISPOSAL CONSIDERATIONS

Product

Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities

SECTION 14. TRANSPORT INFORMATION

Shipping Name: Aerosols
UN No: 1950
Dangerous goods Class: 3
Subsidiary Risk Class: 3
Hazchem Code: 3WE

Packaging Group:

EPG:

None Allocated

None Allocated

None Allocated

SECTION 15. REGULATION INFORMATION

Label: Classification and labeling have been performed

according to regulations

SECTION 16. OTHER INFORMATION

All cosmetics can, on rare occasions cause allergic reactions. The product should not be applied to sensitive or broken skin. Test by placing a small amount to wrist, if reaction occurs within 30 minutes do not use.

This MSDS summarizes based on our present best knowledge of the health and safety hazard information of the product and how to safety handle and use the product in the work place. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including its use in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact Milhaus Australia Pty Ltd. Our responsibility for products sold is subject to our standard terms and conditions.